

RECEPTAL®

Waste Fluid Management Systems



RECEPTAL®

Suction Canister
and Liner System

EZE-VAC®

Suction Canister
System

AMSure®

Suction Tubing &
Suction Yankauers

STERICADI™

Suction Device
Holder

ACCU-MEASURE®

Critical Measurement
Canister

icumedical

human connections



RECEPTAL®

Suction Canister and Liner System

The **RECEPTAL** Suction Canister and Liner System is one of the safest systems in waste fluid collection. This system combines the benefits of both a reusable canister and a disposable liner with permanently attached lid and tubing, simplifying set up time, reducing costs and providing additional protection.

RECEPTAL Liners and **EZE-VAC** Canisters include an anti-foaming emulsion that prevents froth formation and aerosolization, reducing the risk of contaminant exposure while maximizing fluid capacity. These efficient systems securely isolate suction waste with single, dual and multiple configurations that provide fluid capacity up to 24L without disconnection.

Both systems support best practice by integrating **VAC-GARD**,® a non-mechanical shut-off valve that prevents back flow of aerosols and fluids into the vacuum system, and includes a 0.3 micron bacterial eliminating filter effective in removing 99.9% of pseudomonas.

EZE-VAC®

Suction Canister System

The **EZE-VAC** Suction Canister System is single-use, designed for convenience by removing the need for a secondary waste liner. The canister and lid provide a vacuum tight seal at room temperature, improving suction performance and reducing risk during disposal.

The lid ports are clearly marked and come with pre-attached elbows to simplify set up.



Table of Contents

RECEPTAL® Canisters	4
RECEPTAL Liners	5
EZE-VAC® Canisters	6
ACCU-MEASURE® Critical Measurement Devices	7
RECEPTAL and EZE-VAC Accessories	8-9
RECEPTAL and EZE-VAC Reusable Hardware	10-11
Regulator Mounts	12-14
Installation Procedures	15-18
Uninstallation Procedures	19

RECEPTAL® Waste Fluid Management Systems help Hospitals manage suction waste by providing, Simple, Safe and Complete Solutions.

- Complete Suction System
- Highest Quality and Reliability
- Superior Bacterial Filtration Efficiency
- Easy to Use
- Cost Saving
- Professional Advice, Guidance and Training on Waste Fluid Management

icumedical
human connections

We design and make the world's safest, most reliable medical delivery systems for vascular therapy, oncology, and critical care.

RECEPTAL®

Canisters

RECEPTAL Canisters are made of polycarbonate material designed with durability and efficiency in mind.


The reusable canister must be used with the same volume size **RECEPTAL** Disposable Liner.



The canister ring seal firmly secures the liner lid to the canister, maximizing vacuum power to provide the best clinical outcomes.



Large, easy to read volume marks in 25 mL increments help with patient documentation.



Canister "T" designates vacuum source connection to simplify canister set up.



Color-coded by size for easy selection.

1000 mL Canister

(Use with 1000 mL Disposable Liner only)

Item	Description	Qty/Unit
43449-05	1000 mL Canister	10/Case

1500 mL Canister

(Use with 1500 mL Disposable Liner only)

Item	Description	Qty/Unit
43423-01	1500 mL Canister	10/Case

2000 mL Canister

(Use with 2000 mL Disposable Liner only)

Item	Description	Qty/Unit
43445-01	2000 mL Canister	10/Case

3000 mL Canister

(Use with 3000 mL Disposable Liner only)

Item	Description	Qty/Unit
43503-01	3000 mL Canister	8/Case

RECEPTAL® Liners

RECEPTAL Liners are designed with permanently attached lids and a multifunctional lid tube which helps decrease the risk of fluid exposure and improves ease-of-use.

Disposable liners that include **VAC-GARD®** shut-off valve, protects the vacuum system by preventing back flow of fluids, and includes a 0.3 micron bacterial eliminating filter effective in removing 99.9% of pseudomonas.



- Includes an anti-foaming emulsion that prevents froth formation and aerosolization, reducing the risk of contaminant exposure while maximizing fluid capacity
- 100% leak tested seamless liners minimize risk of contamination risk of contamination
- Closed system designed to improve safety outcomes

1000 mL Liner

Item	Description	Qty/Unit
43010S	1000 mL Liner with VAC-GARD and 30g Solidifier	50/Case
43010-05	1000 mL Liner with VAC-GARD and Pour Spout	50/Case

1500 mL Liners

Item	Description	Qty/Unit
43015S	1500 mL Liner with VAC-GARD and 45g Solidifier	50/Case
43025-01	1500 mL Liner with Pour Spout	50/Case
43044-01	1500 mL Liner with VAC-GARD and Pour Spout	50/Case

2000 mL Liners

Item	Description	Qty/Unit
43020S	2000 mL Liner with VAC-GARD and 60g Solidifier	50/Case
43027-01	2000 mL Liner with Pour Spout	50/Case
43041-01	2000 mL Liner with 3/8 in. (0.95 cm) Ortho Port	50/Case
43042-01	2000 mL Liner with VAC-GARD	50/Case
43044-05	2000 mL Liner with VAC-GARD and Pour Spout	50/Case



3000 mL Liners

(Dual port allows for dual suctioning during procedures)

Item	Description	Qty/Unit
oL655-01	3000 mL Liner with VAC-GARD, Dual Ports (Ortho/Standard), Pour Spout	50/Case
oL656-01	3000 mL Liner with Dual Ports (Ortho/Standard), Pour Spout	50/Case
43030S	3000 mL Liner with VAC-GARD, 3L Lid, Dual Ports (Ortho/Standard), Pour Spout and 90g Solidifier	50/Case

Note: Liners are non-sterile, latex-free and BPA-free

Pre-Gelled Liners contain a solidifier concentrate that congeals waste fluid in the liner, helping to further improve safety measures by reducing contamination exposure and allows for safer handling of medical waste.




icumedical
human connections

EZE-VAC®

Canisters

The **EZE-VAC** Suction Canister System is single-use, designed for convenience by removing the need for a secondary waste liner. The canisters include an anti-foaming emulsion that prevents froth formation and aerosolization, reducing the risk of contaminant exposure while maximizing fluid capacity.

EZE-VAC Canisters support best practice by integrating **VAC-GARD®**, a non-mechanical shut-off valve that prevents back flow of aerosols and fluids into the vacuum system, and includes a 0.3 micron bacterial eliminating filter effective in removing 99.9% of pseudomonas.



- Lid attaches firmly to the canister, maximizing vacuum power and reduces risk of leakage
- Easy-to-read volume marks help with patient documentation
- Reflux protector on patient port reduces contamination exposure risk

700 mL Canister

Item	Description	Qty/Unit
43207-01	700 mL Critical Measurement Canister and Lid with 2 Elbows	32/Case

1200 mL Canister

Item	Description	Qty/Unit
43203-01	1200 mL Canister and Lid with 2 Elbows	32/Case

2000 mL Canister

Item	Description	Qty/Unit
43206-01	2000 mL Canister and Lid with 2 Elbows	24/Case

3300 mL Canister

Item	Description	Qty/Unit
43213-01	3300 mL Canister and Lid with 2 Elbows	12/Case

Note: Canisters are non-sterile, latex-free, DEHP-free and BPA-free.

ACCU-MEASURE®

Critical Measurement Canisters

ACCU-MEASURE critical measurement canisters enable the user to make contact-free critical measurements of smaller quantities of aspirate (i.e. during pediatric procedures).

The **RECEPTAL® ACCU-MEASURE** is a disposable, tapered 250 mL critical measurement canister calibrated to scale. Graduations in 5 mL increments from 0 to 50 mL, 10 mL increments from 50 mL to 150 mL and 20 mL increments from 150 mL to 250 mL.



RECEPTAL ACCU-MEASURE Device

Canister attachment bracket

The **EZE-VAC® ACCU-MEASURE** is a stand alone, disposable 700 mL critical measurement canister. Graduations are shown in 5 mL increments from 0 to 100 mL, 10 mL increments from 100 mL to 300 mL and 25 mL increments from 300 mL to 700 mL.

RECEPTAL ACCU-MEASURE Canister

Item	Description	Qty/Unit
43306-01	250 mL Critical Measurement Canister with Tandem Tube (attaches to side of the RECEPTAL Canister, use Item 43305-10)	12/Case
43305-10	Canister Attachment Bracket for 250 mL Canister, use with 1000 mL, 1500 mL and 2000 mL RECEPTAL Canisters	10/Case

EZE-VAC ACCU-MEASURE Canister

Item	Description	Qty/Unit
43207-01	700 mL Critical Measurement Canister and Lid with 2 Elbows	32/Case

Note: Canisters are non-sterile, latex-free, DEHP-free and BPA-free.



Generous patient label for documentation

5 mL increments from 0 to 50 mL

5 mL increments from 0 to 100 mL

RECEPTAL ACCU-MEASURE complete installation





RECEPTAL® & EZE-VAC®

Accessories

Specimen Trap

(Use with Collection Port when tissue specimen is required)

Item	Description	Qty/Unit
43303-01	4 in. (10.16 cm) Pour Spout Cover with 3/8 in. (0.95 cm) Port, Tethered Cap	24/Case
43303-02	4 in. (10.16 cm) Pour Spout Cover with 3/8 in. (0.95 cm) Port, Tethered Cap and Stiffener	24/Case
43303-05	8 in. (20.32 cm) Pour Spout Cover with 1/2 in. (1.27 cm) Port, Tethered Cap and Stiffener	24/Case

External VAC-GARD® Shut-Off Filter

Item	Description	Qty/Unit
43309-01	0.3 micron Bacteria Eliminating Shut-Off Filter	10/Case

Tubing

Suction Tubing

(For Canister to vacuum connection)

Item	Description	Qty/Unit
43455-01	100 ft. (30.48 m) PVC Non-Sterile Suction Tubing 9/32 in. (7 mm) I.D.	1/Case
43457-25	24 in. (0.61 m) PVC Non-Sterile Suction Tubing 9/32 in. (7 mm) I.D.	25/Case

EZE-VAC® Tandem Tubing

Item	Description	Qty/Unit
43317-25	18 in. (0.45 m) Tandem Tubing	25/Case

RECEPTAL® & EZE-VAC®

Accessories

RECEPTAL Elbow Adapter

(Use with Patient Port)

Item	Description	Qty/Unit
43316-01	1/4 in. (0.64 cm) Male x Female Elbow	100/Case
43494-25	1/4 in. (0.64 cm) Male x Female Elbow	25/Case



RECEPTAL Taper

(Use with 3/8 in. (.95 cm) Orthopedic Port)

Item	Description	Qty/Unit
43473-25	Double 1/4 in. (0.64 cm) Male Taper	25/Case



RECEPTAL ACCU-MEASURE® Device Bracket

(For use with Item 43306-01)

Item	Description	Qty/Unit
43305-10	Canister Attachment Bracket for 250 mL ACCU-MEASURE Canister for use with 1000 mL, 1500 mL and 2000 mL RECEPTAL Canisters	10/Case



RECEPTAL Canister Vacuum “T”

(Attach to Canister for vacuum suction)

Item	Description	Qty/Unit
44300-05	Double 1/4 in. (0.64 cm) Male “T”, “O” Ring and Screw	5/Case



RECEPTAL Vacuum Taper

(Use with Canister Vacuum “T”)

Item	Description	Qty/Unit
43448-25	1/4 in. (0.64 cm) Male x Female Taper	25/Case





RECEPTAL® & EZE-VAC®

Reusable Hardware

Floor Stands

Adjustable-Height Floor Stands

Item	Description	Qty/Unit
43474-01	Large head, stainless steel Adjustable Floor Stand with rollers, conductive casters, holds up to 12 RECEPTAL or 8 EZE-VAC Canisters, use with 1500 mL, 2000 mL and 3000 mL canisters	1/Case
43475-01	Small head, stainless steel Adjustable Floor Stand with rollers, conductive casters, holds multiple RECEPTAL and EZE-VAC Canisters	1/Case
43476-P2	Built-in Regulator Minifold Adjustable Floor Stand with 4 polycarbonate casters, use with 1500 mL and 2000 mL canisters	1/Case
43476-P3	Built-in Regulator Minifold Adjustable Floor Stand with 4 polycarbonate casters, use with 3000 mL canisters	1/Case

Single and In-Line Floor Stands

(Use with 1500 mL and 2000 mL RECEPTAL Canisters)

Item	Description	Qty/Unit
43431-01	Single Canister Floor Stand with tip-resistant base	1/Case
43432-01	Tandem Floor Stand, stainless steel with rollers, conductive casters	1/Case
43447-01	In-Line Quad Floor Stand, stainless steel with rollers, conductive casters, use with 1500 mL and 2000 mL RECEPTAL canisters	1/Case



RECEPTAL® & EZE-VAC®

Reusable Hardware

Canister Brackets Wall Bracket

Item	Description	Qty/Unit
43444-05	Wall channel bracket for mounting Canister, stainless steel	5/Case
43444P	Wall channel bracket for mounting Canister, polycarbonate	50/Case

Bracket Clamp Adapter

Item	Description	Qty/Unit
44303-10	Bracket Clamp for adapting Wall Bracket (43444-05) to fit stands, carts or vertical poles, stainless steel	10/Case

Canister Support Bracket

(Use with 1000 mL, 1200 mL and 1500 mL Canisters)

Item	Description	Qty/Unit
44304-05	Canister Support Bracket to attach Canister directly to a vacuum regulator	5/Case

Canister Supports

RECEPTAL Tandem Canister Support

Item	Description	Qty/Unit
43429-01*	Use with 1500 mL and 2000 mL Canisters	1/Case
43439-01	Use with 3000 mL Canisters	1/Case

RECEPTAL Single Canister Support

Item	Description	Qty/Unit
43425-05*	Use with 1000 mL canister	5/Case
43426-05	Use with 1500 mL and 2000 mL Canisters	5/Case
43426P	Use with 1500 mL and 2000 mL Canisters, polycarbonate	20/Case
43428-05*	Use with 1500 mL and 2000 mL Canisters, with mounting plate for vacuum regulator	5/Case
43436-05	Use with 3000 mL Canisters	5/Case
43436P	Use with 3000 mL Canisters, polycarbonate	10/Case

EZE-VAC Single Canister Support

Item	Description	Qty/Unit
43469-12*	Canister ring support	12/Case

*Shown on Wall Bracket (Item 43444-05)





Regulator Mounts

Regulator Mount

(Use to attach regulator alone or to other supports)

Item	Description	Qty/Unit
43408-05	1/8 in. (0.32 cm) male pipe thread x 1/4 in. (0.64 cm) male taper with 1-1/8 in. (2.86 cm) threaded shank and 2 locknuts	5/Case



Regulator Mount

(For use when regulator is wall mounted to vacuum and a simple taper is needed to attach tubing to regulator)

Item	Description	Qty/Unit
43422-05	1/8 in. (0.32 cm) male pipe thread x 1/4 in. (0.64 cm) male taper	5/Case



Regulator Mount DISS Male

(Use to attach regulator alone or to other supports)

Item	Description	Qty/Unit
43401-05	1/4 in. (0.64 cm) taper with 1-1/4 in. (3.18 cm) shank	5/Case



Regulator Mount DISS Male

(For use when regulator is wall mounted to vacuum and a simple taper is needed to attach tubing to regulator)

Item	Description	Qty/Unit
43400-05	1/4 in. (0.64 cm), male taper	5/Case



The basic components required for **RECEPTAL**® installation:



RECEPTAL Canister and same size Liner



Canister Support



Suction Tubing for tandem or multiple set ups



AMSure® sterile and non-sterile tubing



AMSure Yankauer

RECEPTAL® Single Canister and Liner Installation

The single canister installation is used for simple or short procedures, not requiring a large waste suction volume.



① Place canister into support.



② Insert same size liner with VAC-GARD® and secure liner lid to canister.



③ Connect lid VAC-GARD® blue tubing and vacuum tubing to canister "T".



④ Connect patient tubing to patient port. Cap all ports not in use.

For complete procedural installation, refer to Instructions For Use Guide



Waste Fluid Management Systems Installation

The basic components required for **EZE-VAC**® installation:



EZE-VAC
Canister and Lid



Canister Support



AMSure® Sterile and
Non-Sterile Tubing



Tandem Tubing for tandem
or multiple set ups

AMSure Yankauer

EZE-VAC® Single Canister Installation



① Select canister size and secure lid to canister.



② Select support.



③ Place canister in support, connect vacuum tubing to vacuum port elbow on lid.



④ Connect patient tubing to patient port elbow on lid. Cap all ports not in use.

Waste Fluid Management Systems Installation

RECEPTAL® Tandem Canister and Liner Installation

When two or more canisters are required, the installation can be used by placing the canisters side-by-side, interconnected, via a piece of vacuum tubing.



- ① Select canister size and support. Place canisters into support.



- ② Connect canister "T"s with vacuum tubing.



- ③ Insert same size liners (1 with and 1 without VAC-GARD®), secure liner lids to canisters.



- ④ Connect lid VAC-GARD® blue tubing and vacuum tubing to canister "T".



- ⑤ Connect lid tandem tubing (clear) to patient port of the lid with blue tubing.



- ⑥ Connect patient tubing to patient port. Cap all ports not in use.



Tandem Wall Mount Installation

For complete procedural installation, refer to Instructions For Use Guide

Waste Fluid Management Systems Installation

RECEPTAL® Multiple Canister and Liner Installation

Multiple canisters are particularly suited for procedures that can generate high volumes of waste. The principle of multiple installation is the same as the tandem installation.



① Select canister size and supports. Attach supports to floor stand.



② Insert canisters into supports.



③ Insert same size liners (1 with VAC-GARD® and remaining liners without), secure liner lids to canisters.



④ Interconnect canister "T"s with vacuum tubing. Attach the lid VAC-GARD® blue tubing and vacuum tubing to the remaining open "T" ports.



⑤ Connect lid tandem tubing (clear) to patient port of the lid with blue tubing. Repeat process until all liners are connected.



⑥ Connect patient tubing to patient port. Cap all ports not in use.

In-Line Quad Floor Stand Installation



icumedical
human connections

For complete procedural installation, refer to Instructions For Use Guide

Waste Fluid Management Systems Installation

External VAC-GARD® Installation



- 1 Select RECEPTAL canister size and same size liner without integrated VAC-GARD blue tubing. Insert external VAC-GARD onto canister "T".



- 2 Attach lid tubing to external VAC-GARD. Connect vacuum tubing to canister "T".



- 3 Connect patient tubing to patient port. Cap all ports not in use.

RECEPTAL® ACCU-MEASURE® Installation



- 1 Select RECEPTAL canister size and attach ACCU-MEASURE bracket.



- 2 Slide 250 mL ACCU-MEASURE device onto bracket.



- 3 Follow RECEPTAL single liner set-up. Use tandem tubing to connect vacuum port of ACCU-MEASURE to patient port of liner lid.



- 4 Connect patient tubing to ACCU-MEASURE patient port. Cap all ports not in use.

Waste Fluid Management Systems Installation

EZE-VAC® Multiple Canister Installation

Multiple canisters are particularly suited for procedures that can generate high volumes of waste. The canisters are interconnected using EZE-VAC® tandem tubing.



- ① Attach supports to floor stand. Select canister size and secure lids to canisters.




- ② Place canisters into supports. Connect vacuum tubing to vacuum port elbow on lid. Secure vacuum port caps on remaining canisters.



- ④ Connect patient tubing to patient port elbow on lid.




- ③ Connect ortho port to adjacent patient port with tandem tubing (Item 43317-25). Repeat until all canisters are connected.




Uninstallation Procedure

RECEPTAL® Liner Uninstallation Procedure



- ① Leave vacuum switched on at the end of the procedure.



- ② Remove patient suction tubing from patient port and discard.



- ③ Disconnect liner lid tubing from canister "T" and immediately reconnect to patient port with push and twist motion (friction lock).

Additional Comments

- Cap any port not in use.
- Do not use lid tubing as a handle to lift liner.
- Amsino recommends exercising universal precautions during handling and disposal.

EZE-VAC® Canister Uninstallation Procedure



- ① Remove patient and vacuum tubing.



- ② Cap all ports with tethered caps provided.

Additional Comments

- The canister and lid are disposable and intended for single use.
- Amsino recommends exercising universal precautions during handling and disposal.

For complete procedural installation, refer to Instructions For Use Guide

Human connections



Clinical excellence

ICU Medical Australia Pty Ltd
Unit U, 10-16 South Street
RYDALMERE NSW 2116
Ph: 1300 428 652

icumedical
human connections